





Overview of Company & Product

LED Neon Flex Ribbon - *invisible dots*

Vertical [Bending](#)



Horizontal Bending




Only LED Flex Ribbon!!!

- *SMD LEDs on FPCB Inside*
- *PVC or Silicone Jacket*
- *Max Running 10m/20m/30m, etc*
- *Easy Cutting and Reconnection*
- *RGB, Mono, Tunable, RGBW, Chasing, etc*
- *UV/ Corrosion/Impact/Flame resistance*
- *Waterproof*

LED Crystal Flex Ribbon - *visible dots*

Vertical Bending



Same Size & Very Close Optical Parameters

PVC Series

Advantage

- *Better Flame Retardant*
- *Cost Effective(20% lower price)*
- *IP68 Connector Available for Underwater*

Application

- *Working Temp -20~45° & 3 years Warranty*
- *Indoor & Outdoor without Long-term Strong UV*

Silicone Series

Advantage


- *More Elegant Appearance*
- *Better [Mechanical Strength](#)*
- *Better [High](#) & [Low](#) Temp Resistant*
- *Better [UV Resistant](#)*
- *Copper Belt Technology*

Application

- *Working Temp -40~55° & 5 years Warranty*
- *Indoor & Outdoor except for underwater*


Quickly Find Desired Models

Step 1: Size, Bending, Light Output




LED Flex Ribbon

LED Neon Flex Ribbon



LED Crystal Flex Ribbon



CODE	WIRES	COLOES	VOLTAGE
B	2 Wires 	 Single Color	24VDC/120VAC/230VAC (12VDC and 36VDC Optional)
S/D	3 Wires 	 Pixel Addressable/Dynamic White	5VDC/24VDC
A	4 Wires 	 Standard RGB Color Changing	Only 24VDC
E	5 Wires 	 Standard RGBW	Only 24VDC

Choose the Connector


DIY & Injection-molding Connectors

DIY Connector

-cuttable and joinable at site/ dark spot at joint

Indoor

IP20



Swivel Connector

Outdoor

IP67



Snap Connector

Injection-molding Connector

-molded by machine at factory for custom lengths

Seamless effect

IP67



Injection-moulded Connector

Underwater

IP68



Dual Injection-moulded Connector

Front Connector
-3 cable entries

End Cap






- Standard Aluminum Profile




- Spring Clip Aluminum Profile



- Plastic Profile



- Bendable Stainless Steel Profile



- Hybrid Profile



- Recessed Mounting Profile



CLEAR
LIGHTING

THANKS!

T: +86-755-86114338
www.clearlighting.com